

označení produktu	popis produktu	doporučená MO cena s DPH
<b>MOVING HEADS</b>		
<b>MOVING HEADS - SPOT</b>		
03.MS011.EB.L	XR 3000 CMY SPOT - MSR GOLD 1200/2 Fastfit • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	199 920,-
03.MS011.EB.LF	XR 3000 CMY SPOT FPR (Free PAN Rotation) - MSR GOLD 1200/2 Fastfit • Electronic ballast 90V - 245V 50/60 Hz • Black fir	218 095,-
03.MS008.EB.L	XR 2000 CMY SPOT-MSR GOLD 700/2 Fast-fit • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	178 716,-
03.MS008.EB.LF	XR 2000 CMY SPOT FPR (Free PAN Rotation) - MSR GOLD 700/2 Fast-fit • Electronic ballast 90V - 245V 50/60 Hz • Black fini	196 891,-
03.MS009.EB.L	XR 2000 SPOT - Philips MSR Gold 700/2 Fastfit, Electronic Ballast 90-260V, 50/60 Hz. Weight 26 Kg.	160 542,-
03.MS009.EB.LF	XR 2000 SPOT FPR (Free PAN Rotation) - Philips MSR Gold 700/2 Fastfit • Electronic ballast 90V - 245V 50/60 Hz • Black fini	178 716,-
03.MS006.EB.L	XR 700 SPOT -Philips MSR Gold 700/2 Fastfit, Electronic Ballast 90-245V, 50/60 Hz. Weight 26 Kg.	142 367,-
03.MS006.EB.LF	XR 700 SPOT FPR (Free PAN Rotation) - Philips MSR Gold 700/2 Fastfit • Electronic ballast 90V - 245V 50/60 Hz • Black finish	160 542,-
03.MS010.L	XR 10 SPOT -Philips MSR 575/2, Magnetic Ballast. Power supply 230V 50/60 Hz. Kg. 29	124 193,-
03.MS010.LF	XR 10 SPOT MAGNETIC FPR (Free PAN Rotation) -Philips MSR 575/2 • Electronic ballast 90V - 245V 50/60 Hz • Black finishir	151 455,-
03.MS010.EB.L	XR 10 SPOT - Philips MSR 575/2, Electronic Ballast 90V-245V 50/60 Hz. Kg. 25	133 280,-
03.MS010.EB.LF	XR 10 SPOT ELECTRONIC FPR (Free PAN Rotation)-Philips MSR 575/2 • Electronic ballast 90V - 245V 50/60 Hz • Black finis	163 571,-
03.MS002.L	XR 9 SPOT -MSR 575/2, Magnetic Ballast. Power supply 230V 50/60 Hz. Kg. 29	87 844,-
03.MS002.LF	XR 9 SPOT MAGNETIC FPR (Free PAN Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	106 018,-
03.MS002.EB.L	XR 9 SPOT - MSR 575/2, Electronic Ballast 90V-245V 50/60 Hz. Kg. 25	106 018,-
03.MS002.EB.LF	XR 9 SPOT ELECTRONIC FPR (Free PAN Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	124 193,-
03.MS001.L	XR 8 SPOT -MSR 575/2, Magnetic Ballast. Power supply 230V 50/60 Hz. Kg. 27	72 092,-
03.MS001.LF	XR 8 SPOT MAGNETIC FPR (Free PAN Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	90 267,-
03.MS001.EB.L	XR 8 SPOT - MSR 575/2, Electronic Ballast 90V-245V 50/60 Hz. Kg. 22	94 811,-
03.MS001.EB.LF	XR 8 SPOT ELECTRONIC FPR (Free PAN Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	112 985,-
03.MS003.L	XR 5 -CSD 250/2/SE, Magnetic Ballast. Power supply 230V 50/60 Hz. Kg. 20	65 125,-
03.MS003.LF	XR 5 SPOT MAGNETIC FAR (Free AXIS Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	101 475,-
03.MS003.EB.L	XR 5 SPOT ELECTRONIC • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	77 242,-
03.MS003.EB.LF	XR 5 SPOT ELECTRONIC FAR (Free AXIS Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	113 591,-
03.MS005.L	XR4 SPOT -CSD 250/2/SE, Magnetic Ballast. Power supply 230V 50/60 Hz. Kg. 19,5	53 615,-
03.MS005.LF	XR 4 SPOT MAGNETIC FAR (Free AXIS Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	89 964,-
03.MS005.EB.L	XR 4 SPOT ELECTRONIC • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	64 823,-
03.MS005.EB.LF	XR 4 SPOT ELECTRONIC FAR (Free AXIS Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	101 172,-
<b>OPTIKA PRO MOVING HEADS - SPOT</b>		
0506L016	19° OPTIC LENS UPGRADE set for XR 5 - XR 4 Range • Beam Opening (19°)	303,-
0506L017	22° OPTIC LENS UPGRADE set for XR 5 - XR 4 Range • Beam Opening (22°)	303,-
<b>MOVING HEADS - BEAM</b>		
03.MB004.EB.L	XR 3000 BEAM •MSR GOLD 1200/2 Fastfit, Electronic ballast 90V - 245V 50/60 Hz • Black finishing	145 396,-
03.MB004.EB.LF	XR 3000 BEAM FPR (Free PAN Rotation) •MSR GOLD 1200/2 Fastfit Electronic ballast 90V - 245V 50/60 Hz • Black finishing	163 571,-
03.MB001.EB.L	XR 2000 BEAM •MSR GOLD 700/2 Fast-fit 1CT, Electronic ballast 90V - 245V 50/60 Hz • Black finishing	130 251,-
03.MB001.EB.LF	XR 2000 BEAM FPR (Free PAN Rotation) •MSR GOLD 700/2 Fast-fit 1CT, Electronic ballast 90V - 245V 50/60 Hz • Black finisl	148 425,-
03.MB002.LF	XR 300 BEAM CMY FAR MAGNETIC •OSRAM Lock-it 300, Electromagnetic ballast 230V 50/60 Hz • Black finishing	118 135,-
03.MB002.EB.LF	XR 300 BEAM CMY FAR ELECTRONIC •OSRAM Lock-it 300, Electronic ballast 90V - 245V 50/60 Hz • Black finishing	127 222,-
03.MB003.L	XR 300 BEAM MAGNETIC •OSRAM Lock-it 300, Electromagnetic ballast 230V 50/60 Hz • Black finishing	72 092,-
03.MB002.EB.L	XR 300 BEAM CMY ELECTRONIC •OSRAM Lock-it 300, Electronic ballast 90V - 245V 50/60 Hz • Black finishing	99 960,-
<b>MOVING HEADS - WASH</b>		
03.MW005.EB.L	XR 1200 WASH - Philips MSR Gold 1200W Fastfit, Electronic Ballast 90-245V, 50/60 Hz. Power consump. 1.320W, Weight 38	127 222,-
03.MW005.EB.LF	XR 1200 WASH FPR (Free PAN Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	145 396,-
03.MW006.EB.L	XR 750 WASH •(MSR GOLD 700/2 Fast-fit 1CT, Electronic ballast 90V - 245V 50/60 Hz • Black finishing	112 076,-
03.MW006.EB.LF	XR 750 WASH FPR (Free PAN Rotation) •(MSR GOLD 700/2 Fast-fit 1CT, Electronic ballast 90V - 245V 50/60 Hz • Black finis	130 251,-
03.MW001.L	XR 8 WASH -MSR 575/2, Magnetic Ballast. Power supply 230V 50/60 Hz. Kg. 27	72 092,-
03.MW001.LF	XR 8 WASH MAGNETIC FAR (Free AXIS Rotation) •MSR 575/2, Electronic ballast 90V - 245V 50/60 Hz • Black finishing	90 267,-
03.MW001.EB.L	XR 8 WASH -MSR 575/2, Electronic Ballast 90V-245V 50/60 Hz. Kg. 22	94 811,-
03.MW001.EB.LF	XR 8 WASH ELECTRONIC FAR (Free AXIS Rotation) •MSR 575/2, Electronic ballast 90V - 245V 50/60 Hz • Black finishing	112 985,-
03.MW002.L	XR5 WASH - CSD 250/2/SE, Magnetic Ballast. Power supply 230V 50/60 Hz. Kg 19,5	58 159,-
03.MW002.LF	XR 5 WASH MAGNETIC FAR (Free AXIS Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	94 508,-
03.MW002.EB.L	XR 5 WASH ELECTRONIC • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	68 760,-
03.MW002.EB.LF	XR 5 WASH ELECTRONIC FAR (Free AXIS Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	105 109,-
03.MW004.L	XR4 WASH -CSD 250/2/SE, Magnetic Ballast. Power supply 230V 50/60 Hz. Weight Kg	47 557,-
03.MW004.LF	XR 4 WASH MAGNETIC FAR (Free AXIS Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	65 731,-
03.MW004.EB.L	XR 4 WASH ELECTRONIC • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	58 764,-
03.MW004.EB.LF	XR 4 WASH ELECTRONIC FAR (Free AXIS Rotation) • Electronic ballast 90V - 245V 50/60 Hz • Black finishing	74 819,-
<b>FLIGHTCASES PRO XR 2000 / XR 3000 Line</b>		
0521C041.1	Single Flightcase PROFESSIONAL • compartment for lamps and accessories, swivel wheels, dishes on cover for piling	24 233,-
0521C038	Double Flightcase - STANDARD - LxDxH: 1112 x 576 x 871 mm - Weight 72,00 Kg	19 386,-
0521C038.1	Double Flightcase - PROFESSIONAL - LxDxH: 1160 x 680 x 885 mm - Weight 77,00 Kg	45 436,-
<b>FLIGHTCASES PRO XR 1200 / XR 750 Line</b>		
0521C042.1	Single Flightcase PROFESSIONAL • compartment for lamps and accessories, swivel wheels, dishes on cover for piling	19 386,-
0521C040.1	Double Flightcase - PROFESSIONAL • compartment for lamps and accessories, swivel wheels, dishes on cover for piling	21 204,-

označení produktu	popis produktu	doporučená MO cena s DPH
<b>FLIGHTCASES PRO XR 700 / XR 10 Line</b>		
0521C035	Double Flightcase STANDARD - LxDxH: 995 x 575 x 1000 mm - Weight 54,00 Kg	12 419,-
0521C035.1	Double Flightcase - PROFESSIONAL	22 112,-
<b>FLIGHTCASES PRO XR 300 / XR 9 / XR 8 / XR 5 / XR 4 Line</b>		
0521C043.1	Single Flightcase PROFESSIONAL • compartment for lamps and accessories, swivel wheels, dishes on cover for piling	19 386,-
0521C032	Double Flightcase - STANDARD - LxDxH: 1020 x 575 x 772 mm - Weight 50,00 Kg	11 511,-
0521C032.1	Double Flightcase - PROFESSIONAL - LxDxH: 1150 x 550 x 900 mm - Weight 52,30 Kg	19 386,-
<b>PROTIDEŠŤOVÝ KRYT</b>		
03.MA009	Dešťový kryt základny(horní) pro XR 1200 WASH, XR 2000 and XR 3000 • Floor (Top)	2 120,-
03.MA010	Dešťový kryt základny(spodní) pro XR 1200 WASH, XR 2000 and XR 3000 • Truss (Bottom)	2 120,-
03.MA001	Dešťový kryt základny(horní) pro XR 700, XR 300 BEAM, XR 10 - XR 9 - XR 8 - XR 5 - XR 4 - XR LASER Range • Floor (Top)	2 120,-
03.MA002	Dešťový kryt základny(spodní) pro XR 700, XR 300 BEAM, XR 10 - XR 9 - XR 8 - XR 5 - XR 4 - XR LASER Range • Truss (Bo	1 515,-
<b>NAFUKOVACÍ OBAL</b>		
0521A030	Nafukovací obal H80 • Clear Envelope Measures: (HxW) 1050x900 mm; Weight xx,xx Kg	39 378,-
<b>KLEMY A LANKA</b>		
0521A004	"C" Clamp G60 black • (max. load 50Kg)	236,-
0521A004.20	"C" Clamp G60 chrome • (max. load 50Kg)	236,-
0521A014	"C" Clamp GQUICK • with "Fast Lock" connection 1/4 turn (max. load. 80Kg)	303,-
0521A015	"C" Clamp G100 black professional • (max. load. 200Kg)	212,-
02K00467	Omega clamp • with "Fast Lock" connection 1/4 turn, 1 couple (2 pcs)	909,-
0521A010	Bezpečnostní lanko (3mmx60cm), 60kg	303,-
<b>DELTA SERIES LED COLOURS CHANGERS</b>		
<b>DELTA R (otočná)</b>		
03.LDR001.F10	DELTA FULL COLOUR R • SPOT • Power supply AC 90-260V • Grey Glitter	81 785,-
03.LDR001.F25	DELTA FULL COLOUR R • MEDIUM FLOOD • Power supply AC 90-260V • Grey Glitter	81 785,-
03.LDR001.F40	DELTA FULL COLOUR R • WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	81 785,-
03.LDR001.FVW	DELTA FULL COLOUR R • VERY WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	78 756,-
<b>DELTA RGB FULL COLOR - DELTA B (Bracket )</b>		
03.LDB001.F10	DELTA FULL COLOUR B • SPOT • Power supply AC 90-260V • Grey Glitter	66 640,-
03.LDB001.F25	DELTA FULL COLOUR B • MEDIUM FLOOD • Power supply AC 90-260V • Grey Glitter	66 640,-
03.LDB001.F40	DELTA FULL COLOUR B • WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	66 640,-
03.LDB001.FVW	DELTA FULL COLOUR B • VERY WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	63 611,-
<b>DELTA RGB FULL COLOR - DELTA B HEAD</b>		
03.LDB012.F10	DELTA FULL COLOUR B HEAD • SPOT • Without Power Supply • Grey Glitter	34 532,-
03.LDB012.F25	DELTA FULL COLOUR B HEAD • MEDIUM FLOOD • Without Power Supply • Grey Glitter	34 532,-
03.LDB012.F40	DELTA FULL COLOUR B HEAD • WIDE FLOOD • Without Power Supply • Grey Glitter	34 532,-
03.LDB012.FVW	DELTA FULL COLOUR B HEAD • VERY WIDE FLOOD • Without Power Supply • Grey Glitter	32 714,-
<b>DELTA RGB FULL COLOR - DELTA S FULL COLOUR</b>		
03.LDS001.03.F10	DELTA FULL COLOUR S • SPOT • Power supply AC 90-260V • White finishing	54 524,-
03.LDS001.03.F25	DELTA FULL COLOUR S • MEDIUM • Power supply AC 90-260V • White finishing	54 524,-
03.LDS001.03.F40	DELTA FULL COLOUR S • WIDE • Power supply AC 90-260V • White finishing	54 524,-
03.LDS001.03.FVW	DELTA FULL COLOUR S • VERY WIDE • Power supply AC 90-260V • White finishing	54 524,-
<b>LED PROJECTORS "DELTA 10 RGBW"</b>		
03.LDR004.T	DELTA 10 R RGBW ZOOM • Power supply AC 90-260V • Grey Glitter	136 309,-
03.LDF003.T	DELTA 10 F RGBW ZOOM • Power supply AC 90-260V • Grey Glitter	115 105,-
03.LDF004.T12	DELTA 10 F RGBW Spot 12° • Power supply AC 90-260V • Grey Glitter	102 989,-
<b>OPTIKA PRO DELTA 10 RGBW</b>		
03.LK.064	Lenses Set DELTA 10 RGBW • Medium Flood (25°) • Al ready mounted on the support plate	4 544,-
03.LK.065	Lenses Set DELTA 10 RGBW • Wide Flood (45°) • Alrea dy mounted on the support plate	4 544,-
03.LK.063	Lenses Set DELTA 10 RGBW • Elliptic Flood (15°x45°) • Already mounted on the support plate	4 544,-
<b>LED PROJECTORS "DELTA 10 WHITE"</b>		
03.LDF005.W12	DELTA 10 R WHITE+AMBER ZOOM • Power supply AC 90-260V • Grey Glitter	136 309,-
03.LDF003.W	DELTA 10 F RGBW ZOOM • Power supply AC 90-260V • Grey Glitter	115 105,-
03.LDF005.W12	DELTA 10 F WHITE Spot 12° • Power supply AC 90-260V • Grey Glitter	102 989,-
<b>OPTIKA PRO DELTA 10 WHITE</b>		
03.LK.064	Lenses Set DELTA 10 RGBW • Medium Flood (25°) • Al ready mounted on the support plate	4 544,-
03.LK.065	Lenses Set DELTA 10 RGBW • Wide Flood (45°) • Alrea dy mounted on the support plate	4 544,-
03.LK.063	Lenses Set DELTA 10 RGBW • Elliptic Flood (15°x45°) • Already mounted on the support plate	4 544,-
<b>DELTA 7 RGB R</b>		
03.LDR003.T08	DELTA 7 RGB R • SPOT • Power supply AC 90-260V • Grey Glitter	84 815,-
03.LDR003.T25	DELTA 7 RGB R • MEDIUM FLOOD • Power supply AC 90-260V • Grey Glitter	84 815,-
03.LDR003.T40	DELTA 7 RGB R • WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	84 815,-
03.LDR003.TVW	DELTA 7 RGB R • VERY WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	81 785,-
<b>DELTA 7 RGB "B"</b>		
03.LDB031.T08	DELTA 7 RGB B • SPOT • Power supply AC 90-260V • Grey Glitter	72 698,-
03.LDB031.T25	DELTA 7 RGB B • MEDIUM FLOOD • Power supply AC 90-260V • Grey Glitter	72 698,-

označení produktu	popis produktu	doporučená MO cena s DPH
03.LDB031.T40	DELTA 7 RGB B • WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	72 698,-
03.LDB031.TVW	DELTA 7 RGB B • VERY WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	69 669,-
<b>DELTA 7 RGB "B Head"</b>		
03.LDB034.T08	DELTA 7 RGB B HEAD • SPOT • Without Power Supply • Grey Glitter	41 196,-
03.LDB034.T25	DELTA 7 RGB B HEAD • MEDIUM FLOOD • Without Power Supply • Grey Glitter	41 196,-
03.LDB034.T40	DELTA 7 RGB B HEAD • WIDE FLOOD • Without Power Supply • Grey Glitter	41 196,-
03.LDB034.TVW	DELTA 7 RGB B HEAD • VERY WIDE FLOOD • Without Power Supply • Grey Glitter	38 167,-
<b>DELTA 7 RGB S</b>		
03.LDS003.03.T08	DELTA 7 RGB S • SPOT • Power supply AC 90-260V • White finishing	60 582,-
03.LDS003.03.T25	DELTA 7 RGB S • MEDIUM • Power supply AC 90-260V • White finishing	60 582,-
03.LDS003.03.T40	DELTA 7 RGB S • WIDE • Power supply AC 90-260V • White finishing	60 582,-
03.LDS003.03.TVW	DELTA 7 RGB S • VERY WIDE • Power supply AC 90-260V • White finishing	57 553,-
<b>DELTA TRILED R</b>		
03.LDR001.T08	DELTA TRILED R • SPOT • Power supply AC 90-260V • Grey Glitter	67 852,-
03.LDR001.T25	DELTA TRILED R • MEDIUM FLOOD • Power supply AC 90-260V • Grey Glitter	67 852,-
03.LDR001.T40	DELTA TRILED R • WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	67 852,-
<b>DELTA TRILED "B"</b>		
03.LDB001.T08	DELTA TRILED B • SPOT • Power supply AC 90-260V • Grey Glitter	58 764,-
03.LDB001.T25	DELTA TRILED B • MEDIUM FLOOD • Power supply AC 90-260V • Grey Glitter	58 764,-
03.LDB001.T40	DELTA TRILED B • WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	58 764,-
<b>DELTA TRILED "B Head"</b>		
03.LDB012.T08	DELTA TRILED B HEAD • SPOT • Without Power Supply • Grey Glitter	29 079,-
03.LDB012.T25	DELTA TRILED B HEAD • MEDIUM FLOOD • Without Power Supply • Grey Glitter	29 079,-
03.LDB012.T40	DELTA TRILED B HEAD • WIDE FLOOD • Without Power Supply • Grey Glitter	29 079,-
<b>DELTA TRILED S</b>		
03.LDS001.03.T08	DELTA TRILED S • SPOT • Power supply AC 90-260V • White finishing	51 495,-
03.LDS001.03.T25	DELTA TRILED S • MEDIUM • Power supply AC 90-260V • White finishing	51 495,-
03.LDS001.03.T40	DELTA TRILED S • WIDE • Power supply AC 90-260V • White finishing	51 495,-
<b>DELTA 7 WHITE R</b>		
03.LDR003.W08	DELTA 7 WHITE R • SPOT • Power supply AC 90-260V • Grey Glitter	84 815,-
03.LDR003.W25	DELTA 7 WHITE R • MEDIUM FLOOD • Power supply AC 90-260V • Grey Glitter	84 815,-
03.LDR003.W40	DELTA 7 WHITE R • WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	84 815,-
03.LDR003.WVW	DELTA 7 WHITE R • VERY WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	82 997,-
<b>DELTA 7 RGB "B"</b>		
03.LDB031.W08	DELTA 7 WHITE B • SPOT • Power supply AC 90-260V • Grey Glitter	72 698,-
03.LDB031.W25	DELTA 7 WHITE B • MEDIUM FLOOD • Power supply AC 90-260V • Grey Glitter	72 698,-
03.LDB031.W40	DELTA 7 WHITE B • WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	72 698,-
03.LDB031.WVW	DELTA 7 WHITE B • VERY WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	69 669,-
<b>DELTA 7 RGB "B Head"</b>		
03.LDB034.W08	DELTA 7 WHITE B HEAD • SPOT • Without Power Supply • Grey Glitter	41 196,-
03.LDB034.W25	DELTA 7 WHITE B HEAD • MEDIUM FLOOD • Without Power Supply • Grey Glitter	41 196,-
03.LDB034.W40	DELTA 7 WHITE B HEAD • WIDE FLOOD • Without Power Supply • Grey Glitter	41 196,-
03.LDB034.WVW	DELTA 7 WHITE B HEAD • VERY WIDE FLOOD • Without Power Supply • Grey Glitter	38 167,-
<b>DELTA 7 WHITE S</b>		
03.LDS003.03.W08	DELTA 7 WHITE S • SPOT • Power supply AC 90-260V • White finishing	60 582,-
03.LDS003.03.W25	DELTA 7 WHITE S • MEDIUM • Power supply AC 90-260V • White finishing	60 582,-
03.LDS003.03.W40	DELTA 7 WHITE S • WIDE • Power supply AC 90-260V • White finishing	60 582,-
03.LDS003.03.WVW	DELTA 7 WHITE S • VERY WIDE • Power supply AC 90-260V • White finishing	57 553,-
<b>DELTA WHITE R</b>		
03.LDR001.W08	DELTA WHITE R • SPOT • Power supply AC 90-260V • Grey Glitter	70 275,-
03.LDR001.W25	DELTA WHITE R • MEDIUM FLOOD • Power supply AC 90-260V • Grey Glitter	70 275,-
03.LDR001.W40	DELTA WHITE R • WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	70 275,-
<b>DELTA TRILED "B"</b>		
03.LDB001.W08	DELTA WHITE B • SPOT • Power supply AC 90-260V • Grey Glitter	60 582,-
03.LDB001.W25	DELTA WHITE B • MEDIUM FLOOD • Power supply AC 90-260V • Grey Glitter	60 582,-
03.LDB001.W40	DELTA WHITE B • WIDE FLOOD • Power supply AC 90-260V • Grey Glitter	60 582,-
<b>DELTA TRILED "B Head"</b>		
03.LDB012.W08	DELTA WHITE B HEAD • SPOT • Without Power Supply • Grey Glitter	30 897,-
03.LDB012.W25	DELTA WHITE B HEAD • MEDIUM FLOOD • Without Power Supply • Grey Glitter	30 897,-
03.LDB012.W40	DELTA WHITE B HEAD • WIDE FLOOD • Without Power Supply • Grey Glitter	30 897,-
<b>DELTA WHITE S</b>		
03.LDS001.03.W08	DELTA WHITE S • SPOT • Power supply AC 90-260V • White finishing	54 524,-
03.LDS001.03.W25	DELTA WHITE S • MEDIUM • Power supply AC 90-260V • White finishing	54 524,-
03.LDS001.03.W40	DELTA WHITE S • WIDE • Power supply AC 90-260V • White finishing	54 524,-
<b>OPTIKA PRO DELTA FULL COLOUR</b>		
03.LK.008	Lenses Set DELTA FULL COLOUR • Spot (10°) • Already mounted on the support plate	8 179,-

označení produktu	popis produktu	doporučená MO cena s DPH
03.LK.001	Lenses Set DELTA FULL COLOUR • Medium Flood (25°) • Already mounted on the support plate	5 452,-
03.LK.002	Lenses Set DELTA FULL COLOUR • Wide Flood (40°) • Already mounted on the support plate	5 452,-
03.LK.011	Reflecting Parabola for DELTA FULL COLOUR • Very Wide Flood (120°x70°) • Made in aluminium	1 575,-
<b>OPTIKA PRO DELTA 7 RGB / 7 WHITE</b>		
03.LK.021	Lenses Set DELTA 7 RGB and DELTA 7 WHITE • Spot (10°) • Already mounted on the support plate	8 481,-
03.LK.022	Lenses Set DELTA 7 RGB and DELTA 7 WHITE • Medium Flood (25°) • Already mounted on the support plate	8 481,-
03.LK.023	Lenses Set DELTA 7 RGB and DELTA 7 WHITE • Wide Flood (40°) • Already mounted on the support plate	8 481,-
03.LK.020	Reflecting Parabola DELTA 7 RGB and DELTA 7 WHITE • Very Wide Flood (120°x70°Approx.) • Made in aluminium	1 575,-
0506V022.F	Diffusion Frost Glass for DELTA FULL COLOUR 328mm x 232mm x Thickness 4mm • Anti-Dazzling	500,-
<b>OPTIKA PRO DELTA TRILED / WHITE</b>		
03.LK.004	Lenses Set DELTA TRILED and WHITE • Spot (10°) • Already mounted on the support plate	5 452,-
03.LK.005	Lenses Set DELTA TRILED and WHITE • Medium Flood (25°) • Already mounted on the support plate	5 452,-
03.LK.006	Lenses Set DELTA TRILED and WHITE • Wide Flood (40°) • Already mounted on the support plate	5 452,-
<b>KLAPKY PRO DELTA</b>		
03.LA.057	Klapky pro DELTA Range • Grey Glitter finishing	1 515,-
<b>FLIGHTCASES PRO DELTA SERIES</b>		
0521C029	Single Flightcase for 1 x DELTA Range - PROFESSIONAL - Measures: (LxDxH) 500x460x610 mm; Weight 16,00 Kg	13 328,-
0521C030.1	Double Flightcase for 2 x DELTA range - STANDARD - Measures: (LxDxH) 821x500x631 mm; Weight 41,70 Kg	13 025,-
0521C030	Double Flightcase for 2 x DELTA range - PROFESSIONAL	21 204,-
<b>POWER SUPPLY DELTA B "Head"</b>		
03.LA.019	Z20 Rack-mounting 3U • Power Supply and control unit for 2 units Delta B Heads	51 495,-
<b>PRODLUŽOVACÍ KABELY DELTA B "Head"</b>		
03.LA.004	Extension Cable with connectors for DELTA B, 5 mt.	1 817,-
03.LA.005	Extension Cable with connectors for DELTA B, 10 mt.	2 302,-
03.LA.010	Extension Cable with connectors for DELTA B, 20 mt.	3 150,-
03.LA.018	Extension Cable with connectors for DELTA B, 30 mt.	3 877,-
03.LA.017	Extension Cable with connectors for DELTA B, 50 mt.	5 149,-
03.LA.085	Extension Cable with connectors for DELTA B, 70 mt.	6 361,-
<b>KABELY PRO DELTA SERIES</b>		
0509C057	10-POLE CABLE OUTDOOR, Grey 10X0,14 Price per Meter (Minimum order 100mt)	42,-
0509C039	DMX CABLE • 2x0,25 sqmm (AWG24) Black • Price per Meter • (Minimum Order 100 mt)	41,-
<b>KONEKTORY PRO DELTA B / B "Head"</b>		
0508B064	10-pin connector for Delta B • Female	666,-
0508B063	10-pin connector for Delta B • Male	666,-
<b>KONEKTORY PRO DELTA R</b>		
03.LA.011	DMX Signal interface connector for DELTA R only, from Harting to 5-pin XLR connector Male.	909,-
03.LA.015	DMX Signal interface connector DELTA R only, from Harting to 5-pin XLR connector Female.	909,-
0515V055.19	Black anodized adaptor for connecting Harting connector to XLR connector	206,-
<b>KONEKTORY PRO DELTA R / B / B "Head"</b>		
03.LA.038	DMX Signal interface connector with cable for DELTA B,R and Head, from Harting to 5-pin XLR connector Male.	909,-
03.LA.039	DMX Signal interface connector with cable for DELTA B,R and Head, from Harting to 5-pin XLR connector Female.	909,-
02K00490	DMX-Harting connector IP65 Complete Male	297,-
02K00491	Main Power Harting connector IP65 Complete	291,-
<b>WIRELESS &amp; IR ACCESSORIES</b>		
0514L008	Wireless DMX Receiver Card for DELTA range with 0508A040 - OUTDOOR IP65 2-dBi Antenna	6 664,-
03.LA.012	IR Remote Control for DELTA / Z1 / Z8 / Z60 / Z30 Power Supply Unit	1 393,-
<b>FOS LED BAR PROJECTORS</b>		
<b>FOS 100 SOLO DYNAMIC INDOOR</b>		
03.DYN002S.F10	FOS 100 SOLO DYNAMIC • SPOT • IP20 • Power supply AC 90-260V • Black	42 104,-
03.DYN002S.F25	FOS 100 SOLO DYNAMIC • MEDIUM FLOOD • IP20 • Power supply AC 90-260V • Black	42 104,-
03.DYN002S.F40	FOS 100 SOLO DYNAMIC • WIDE FLOOD • IP20 • Power supply AC 90-260V • Black	42 104,-
<b>FOS 100 SOLO DYNAMIC OUTDOOR</b>		
03.DYN001S.F10	FOS 100 SOLO DYNAMIC • SPOT • IP65 • Power supply AC 90-260V • Black	43 013,-
03.DYN001S.F25	FOS 100 SOLO DYNAMIC • MEDIUM FLOOD • IP65 • Power supply AC 90-260V • Black	43 013,-
03.DYN001S.F40	FOS 100 SOLO DYNAMIC • WIDE FLOOD • IP65 • Power supply AC 90-260V • Black	43 013,-
<b>FOS 100+ SOLO FULL COLOUR INDOOR</b>		
03.LB004S.FP10	FOS 100+ SOLO FULL COLOUR • SPOT • IP20 • Power supply AC 90-260V • Black	31 200,-
03.LB004S.FP25	FOS 100+ SOLO FULL COLOUR • MEDIUM FLOOD • IP20 • Power supply AC 90-260V • Black	31 200,-
03.LB004S.FP40	FOS 100+ SOLO FULL COLOUR • WIDE FLOOD • IP20 • Power supply AC 90-260V • Black	31 200,-
03.LB004S.FPVV	FOS 100+ SOLO FULL COLOUR • VERY WIDE FLOOD • IP20 • Power supply AC 90-260V • Black	31 200,-
03.LB004S.FPVO	FOS 100+ SOLO FULL COLOUR • SANDED GLASS • IP20 • Power supply AC 90-260V • Black	31 200,-
<b>FOS 100 PLUS SOLO FULL COLOUR OUTDOOR</b>		
03.LB001S.FP10	FOS 100+ SOLO FULL COLOUR • SPOT • IP65 • Power supply AC 90-260V • Black	33 017,-
03.LB001S.FP25	FOS 100+ SOLO FULL COLOUR • MEDIUM FLOOD • IP65 • Power supply AC 90-260V • Black	33 017,-
03.LB001S.FP40	FOS 100+ SOLO FULL COLOUR • WIDE FLOOD • IP65 • Power supply AC 90-260V • Black	33 017,-
03.LB001S.FPVV	FOS 100+ SOLO FULL COLOUR • VERY WIDE FLOOD • IP65 • Power supply AC 90-260V • Black	33 017,-

označení produktu	popis produktu	doporučená MO cena s DPH
<b>03.LB001S.FPVO</b>	FOS 100+ SOLO FULL COLOUR • SANDED GLASS • IP65 • Power supply AC 90-260V • Black	<b>33 017,-</b>
<b>FOS 100 SOLO RGBA INDOOR</b>		
<b>03.LB004S.T10</b>	FOS 100 SOLO RGBA • SPOT • IP20 • Power supply AC 90-260V • Black	<b>34 835,-</b>
<b>03.LB004S.T25</b>	FOS 100 SOLO RGBA • MEDIUM FLOOD • IP20 • Power supply AC 90-260V • Black	<b>34 835,-</b>
<b>03.LB004S.T40</b>	FOS 100 SOLO RGBA • WIDE FLOOD • IP20 • Power supply AC 90-260V • Black	<b>34 835,-</b>
<b>03.LB004S.TVW</b>	FOS 100 SOLO RGBA • VERY WIDE FLOOD • IP20 • Power supply AC 90-260V • Black	<b>34 835,-</b>
<b>FOS 100 SOLO RGBA OUTDOOR</b>		
<b>03.LB001S.T10</b>	FOS 100 SOLO RGBA • SPOT • IP65 • Power supply AC 90-260V • Black	<b>36 349,-</b>
<b>03.LB001S.T25</b>	FOS 100 SOLO RGBA • MEDIUM FLOOD • IP65 • Power supply AC 90-260V • Black	<b>36 349,-</b>
<b>03.LB001S.T40</b>	FOS 100 SOLO RGBA • WIDE FLOOD • IP65 • Power supply AC 90-260V • Black	<b>36 349,-</b>
<b>03.LB001S.TVW</b>	FOS 100 SOLO RGBA • VERY WIDE FLOOD • IP65 • Power supply AC 90-260V • Black	<b>36 349,-</b>
<b>FOS 100 SOLO WHITE INDOOR</b>		
<b>03.LB004S.W10</b>	FOS 100 SOLO WHITE • SPOT • IP20 • Power supply AC 90-260V • Black	<b>35 440,-</b>
<b>03.LB004S.W25</b>	FOS 100 SOLO WHITE • MEDIUM FLOOD • IP20 • Power supply AC 90-260V • Black	<b>35 440,-</b>
<b>03.LB004S.W40</b>	FOS 100 SOLO WHITE • WIDE FLOOD • IP20 • Power supply AC 90-260V • Black	<b>35 440,-</b>
<b>03.LB004S.WVW</b>	FOS 100 SOLO WHITE • VERY WIDE FLOOD • IP20 • Power supply AC 90-260V • Black	<b>35 440,-</b>
<b>FOS 100 SOLO WHITE OUTDOOR</b>		
<b>03.LB001S.W10</b>	FOS 100 SOLO WHITE • SPOT • IP65 • Power supply AC 90-260V • Black	<b>36 955,-</b>
<b>03.LB001S.W25</b>	FOS 100 SOLO WHITE • MEDIUM FLOOD • IP65 • Power supply AC 90-260V • Black	<b>36 955,-</b>
<b>03.LB001S.W40</b>	FOS 100 SOLO WHITE • WIDE FLOOD • IP65 • Power supply AC 90-260V • Black	<b>36 955,-</b>
<b>03.LB001S.WVW</b>	FOS 100 SOLO WHITE • VERY WIDE FLOOD • IP65 • Power supply AC 90-260V • Black	<b>36 955,-</b>
<b>FOS 100+ FULL COLOUR OUTDOOR BEZ NAPÁJECÍHO ZDROJE</b>		
<b>03.LB001.FP10</b>	FOS 100+ FULL COLOUR • SPOT • IP65 • Power Supply NOT INCLUDED • Black	<b>18 477,-</b>
<b>03.LB001.FP25</b>	FOS 100+ FULL COLOUR • MEDIUM FLOOD • IP65 • Power Supply NOT INCLUDED • Black	<b>18 477,-</b>
<b>03.LB001.FP40</b>	FOS 100+ FULL COLOUR • WIDE FLOOD • IP65 • Power Supply NOT INCLUDED • Black	<b>18 477,-</b>
<b>03.LB001.FPVV</b>	FOS 100+ FULL COLOUR • VERY WIDE FLOOD • IP65 • Power Supply NOT INCLUDED • Black	<b>18 477,-</b>
<b>FOS 100 RGBA OUTDOOR BEZ NAPÁJECÍHO ZDROJE</b>		
<b>03.LB001.T10</b>	FOS 100 RGBA • SPOT • IP65 • Power Supply NOT INCLUDED • Black	<b>21 507,-</b>
<b>03.LB001.T25</b>	FOS 100 RGBA • MEDIUM FLOOD • IP65 • Power Supply NOT INCLUDED • Black	<b>21 507,-</b>
<b>03.LB001.T40</b>	FOS 100 RGBA • WIDE FLOOD • IP65 • Power Supply NOT INCLUDED • Black	<b>21 507,-</b>
<b>03.LB001.TVW</b>	FOS 100 RGBA • VERY WIDE FLOOD • IP65 • Power Supply NOT INCLUDED • Black	<b>21 507,-</b>
<b>FOS 100 WHITE OUTDOOR BEZ NAPÁJECÍHO ZDROJE</b>		
<b>03.LB001.W10</b>	FOS 100 WHITE • SPOT • IP65 • Power Supply NOT INCLUDED • Black	<b>22 112,-</b>
<b>03.LB001.W25</b>	FOS 100 WHITE • MEDIUM FLOOD • IP65 • Power Supply NOT INCLUDED • Black	<b>22 112,-</b>
<b>03.LB001.W40</b>	FOS 100 WHITE • WIDE FLOOD • IP65 • Power Supply NOT INCLUDED • Black	<b>22 112,-</b>
<b>03.LB001.WVW</b>	FOS 100 WHITE • VERY WIDE FLOOD • IP65 • Power Supply NOT INCLUDED • Black	<b>22 112,-</b>
<b>SAMOSTATNÉ NAPÁJECÍ ZDROJE PRO FOS 100 - Z10 DYNAMIC</b>		
<b>03.LA.091</b>	Z10 DYNAMIC INDOOR IP20 • 1 Output • Power supply AC 90-260V • Max Out Voltage 60V DC • XLR • Powerconn • Black	<b>10 299,-</b>
<b>03.LA.091.IP65</b>	Z10 DYNAMIC OUTDOOR IP65 • 1 Output • Power supply AC 90-260V • Max Out Voltage 60V DC • M12 • Harting • Black	<b>11 511,-</b>
<b>SAMOSTATNÉ NAPÁJECÍ ZDROJE PRO FOS 100 - Z10</b>		
<b>03.LA.020</b>	Z10 INDOOR IP20 • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • XLR • Powerconn • Black	<b>13 025,-</b>
<b>03.LA.020.26</b>	Z10 INDOOR IP20 • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • XLR • Powerconn • Grey	<b>13 025,-</b>
<b>03.LA.020.IP65</b>	Z10 OUTDOOR IP65 • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • M12 • Harting • Black	<b>14 843,-</b>
<b>03.LA.020.26.IP65</b>	Z10 OUTDOOR IP65 • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • M12 • Harting • Grey	<b>14 843,-</b>
<b>SAMOSTATNÉ NAPÁJECÍ ZDROJE PRO FOS 100 - Z8</b>		
<b>03.LA.074.V2</b>	Z8 INDOOR IP20 Rack • 8 Outputs • RJ45 • 32 Independent channels • RJ45 • Power supply AC 90-260V • Max Out Voltage 48	<b>36 349,-</b>
<b>03.LA.075.V2</b>	Z8 INDOOR IP20 Rack • 8 Outputs • M12 • 32 Independent channels • M12 • Power supply AC 90-260V • Max Output Voltage 4	<b>39 681,-</b>
<b>03.LA.080.V2</b>	Z8 INDOOR IP20 Rack • 8 Outputs • Plug-in • 32 Independent channels • Screw • Power supply AC 90-260V • Max Out Volt. 48	<b>40 590,-</b>
<b>SAMOSTATNÉ NAPÁJECÍ ZDROJE PRO FOS 100 - Z1</b>		
<b>03.LA.009</b>	Z1 INDOOR IP20 Rack • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • RJ45	<b>11 511,-</b>
<b>03.LA.009.IP65</b>	Z1 OUTDOOR IP65 Rack • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • M12 • Harting	<b>14 237,-</b>
<b>SAMOSTATNÉ NAPÁJECÍ ZDROJE PRO FOS 100 - Z-LIGHT 4</b>		
<b>03.LA.081</b>	Z-LIGHT 4-350 ON-OFF IP20 • 4 Switchers • Power supply AC 120-240V • Max Output Voltage 50V DC • RJ45	<b>9 996,-</b>
<b>03.LA.055</b>	Z-LIGHT 4-350 ON-OFF IP65 • 4 ON-OFF • Power supply AC 120-240V • Max Output Voltage 50V DC • M12 • Harting	<b>10 602,-</b>
<b>FOS 33 DYNAMIC LED BAR PROJECTORS</b>		
<b>03.DYN003.F10</b>	FOS 33 DYNAMIC • SPOT • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	<b>11 813,-</b>
<b>03.DYN003.F25</b>	FOS 33 DYNAMIC • MEDIUM FLOOD • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	<b>11 813,-</b>
<b>03.DYN003.F40</b>	FOS 33 DYNAMIC • WIDE FLOOD • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	<b>11 813,-</b>
<b>03.DYN005.F10</b>	FOS 33 DYNAMIC • SPOT • END • IP65 • Power Supply NOT INCLUDED • Black	<b>11 511,-</b>
<b>03.DYN005.F25</b>	FOS 33 DYNAMIC • MEDIUM FLOOD • END • IP65 • Power Supply NOT INCLUDED • Black	<b>11 511,-</b>
<b>03.DYN005.F40</b>	FOS 33 DYNAMIC • WIDE FLOOD • END • IP65 • Power Supply NOT INCLUDED • Black	<b>11 511,-</b>
<b>FOS 33 PLUS FULL COLOUR LED BAR PROJECTORS</b>		
<b>03.LB002.FP10</b>	FOS 33+ FULL COLOUR • SPOT • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	<b>7 876,-</b>
<b>03.LB002.FP25</b>	FOS 33+ FULL COLOUR • MEDIUM FLOOD • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	<b>7 876,-</b>
<b>03.LB002.FP40</b>	FOS 33+ FULL COLOUR • WIDE FLOOD • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	<b>7 876,-</b>
<b>03.LB002.FPVV</b>	FOS 33+ FULL COLOUR • VERY WIDE FLOOD • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	<b>7 876,-</b>

označení produktu	popis produktu	doporučená MO cena s DPH
03.LB003.FP10	FOS 33+ FULL COLOUR • SPOT • END • IP65 • Power Supply NOT INCLUDED • Black	7 573,-
03.LB003.FP25	FOS 33+ FULL COLOUR • MEDIUM FLOOD • END • IP65 • Power Supply NOT INCLUDED • Black	7 573,-
03.LB003.FP40	FOS 33+ FULL COLOUR • WIDE FLOOD • END • IP65 • Power Supply NOT INCLUDED • Black	7 573,-
03.LB003.FPVV	FOS 33+ FULL COLOUR • VERY WIDE FLOOD • END • IP65 • Power Supply NOT INCLUDED • Black	7 573,-
<b>FOS 33 RGBA LED BAR PROJECTORS</b>		
03.LB002.T10	FOS 33 RGBA • SPOT • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	8 784,-
03.LB002.T25	FOS 33 RGBA • MEDIUM FLOOD • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	8 784,-
03.LB002.T40	FOS 33 RGBA • WIDE FLOOD • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	8 784,-
03.LB003.T10	FOS 33 RGBA • SPOT • END • IP65 • Power Supply NOT INCLUDED • Black	8 481,-
03.LB003.T25	FOS 33 RGBA • MEDIUM FLOOD • END • IP65 • Power Supply NOT INCLUDED • Black	8 481,-
03.LB003.T40	FOS 33 RGBA • WIDE FLOOD • END • IP65 • Power Supply NOT INCLUDED • Black	8 481,-
<b>FOS 33 WHITE LED BAR PROJECTORS</b>		
03.LB002.W24	FOS 33 WHITE • SPOT • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	8 784,-
03.LB002.W25	FOS 33 WHITE • MEDIUM FLOOD • IN-OUT • Power Supply NOT INCLUDED • Black	8 784,-
03.LB002.W40	FOS 33 WHITE • WIDE FLOOD • IN-OUT • IP65 • Power Supply NOT INCLUDED • Black	8 784,-
03.LB003.W10	FOS 33 WHITE • SPOT • END • IP65 • Power Supply NOT INCLUDED • Black	8 481,-
03.LB003.W25	FOS 33 WHITE • MEDIUM FLOOD • END • IP65 • Power Supply NOT INCLUDED • Black	8 481,-
03.LB003.W40	FOS 33 WHITE • WIDE FLOOD • END • IP65 • Power Supply NOT INCLUDED • Black	8 481,-
03.LB003.W40	FOS 33 WHITE • WIDE FLOOD • END • IP65 • Power Supply NOT INCLUDED • Black	8 481,-
<b>SAMOSTATNÉ NAPÁJECÍ ZDROJE PRO FOS 33 - Z10 DYNAMIC</b>		
03.LA.091	Z10 DYNAMIC INDOOR IP20 • 1 Output • Power supply AC 90-260V • Max Out Voltage 60V DC • XLR • Powerconn • Black	10 299,-
03.LA.091.IP65	Z10 DYNAMIC OUTDOOR IP65 • 1 Output • Power supply AC 90-260V • Max Out Voltage 60V DC • M12 • Harting • Black	11 511,-
<b>SAMOSTATNÉ NAPÁJECÍ ZDROJE PRO FOS 33 - Z10</b>		
03.LA.020	Z10 INDOOR IP20 • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • XLR • Powerconn • Black	13 025,-
03.LA.020.26	Z10 INDOOR IP20 • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • XLR • Powerconn • Grey	13 025,-
03.LA.020.IP65	Z10 OUTDOOR IP65 • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • M12 • Harting • Black	14 843,-
03.LA.020.26.IP65	Z10 OUTDOOR IP65 • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • M12 • Harting • Grey	14 843,-
<b>SAMOSTATNÉ NAPÁJECÍ ZDROJE PRO FOS 33 - Z8</b>		
03.LA.074.V2	Z8 INDOOR IP20 Rack • 8 Outputs • RJ45 • 32 Independent channels • RJ45 • Power supply AC 90-260V • Max Out Voltage 48	36 349,-
03.LA.075.V2	Z8 INDOOR IP20 Rack • 8 Outputs • M12 • 32 Independent channels • M12 • Power supply AC 90-260V • Max Output Voltage 4	39 681,-
03.LA.080.V2	Z8 INDOOR IP20 Rack • 8 Outputs • Plug-in • 32 Independent channels • Screw • Power supply AC 90-260V • Max Out Volt. 48	40 590,-
<b>SAMOSTATNÉ NAPÁJECÍ ZDROJE PRO FOS 33 - Z1</b>		
03.LA.009	Z1 INDOOR IP20 Rack • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • RJ45	11 511,-
03.LA.009.IP65	Z1 OUTDOOR IP65 Rack • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • M12 • Harting	14 237,-
<b>SAMOSTATNÉ NAPÁJECÍ ZDROJE PRO FOS 33 - Z-LIGHT 4</b>		
03.LA.081	Z-LIGHT 4-350 ON-OFF IP20 • 4 Switchers • Power supply AC 120-240V • Max Output Voltage 50V DC • RJ45	9 996,-
03.LA.055	Z-LIGHT 4-350 ON-OFF IP65 • 4 ON-OFF • Power supply AC 120-240V • Max Output Voltage 50V DC • M12 • Harting	10 602,-
<b>FOS 100+ TRIPLE SOLO FULL COLOUR</b>		
03.LB007S.FP	FOS 100+ TRIPLE SOLO FULL COLOUR • OUTDOOR IP65 • Power supply AC 90-260V x 3 Units • Black finishing	99 960,-
03.LB005S.FP	FOS 100+ TRIPLE SOLO FULL COLOUR • INDOOR IP20 • Power supply AC 90-260V x 3 Units • Black finishing	96 931,-
<b>FOS 100+ TRIPLE SOLO RGBA</b>		
03.LB007S.T	FOS 100 TRIPLE SOLO RGBA • OUTDOOR IP65 • Power supply AC 90-260V x 3 Units • Black finishing	109 047,-
03.LB005S.T	FOS 100 TRIPLE SOLO RGBA • INDOOR IP20 • Power supply AC 90-260V x 3 Units • Black finishing	106 018,-
<b>FOS 100+ TRIPLE SOLO WHITE</b>		
03.LB007S.W	FOS 100 TRIPLE SOLO WHITE • OUTDOOR IP65 • Power supply AC 90-260V x 3 Units • Black finishing	109 047,-
03.LB005S.W	FOS 100 TRIPLE SOLO WHITE • INDOOR IP20 • Power supply AC 90-260V x 3 Units • Black finishing	106 018,-
<b>FOS 33+ TRIPLE SOLO FULL COLOUR</b>		
03.LB008S.FP	FOS 33+ TRIPLE SOLO FULL COLOUR • OUTDOOR IP65 • Power supply AC 90-260V x 3 Units • Black finishing	33 320,-
03.LB006S.FP	FOS 33+ TRIPLE SOLO FULL COLOUR • INDOOR IP20 • Power supply AC 90-260V x 3 Units • Black finishing	33 320,-
<b>FOS 33 TRIPLE SOLO RGBA</b>		
03.LB008S.T	FOS 33 TRIPLE SOLO RGBA • OUTDOOR IP65 • Power supply AC 90-260V x 3 Units • Black finishing	38 167,-
03.LB006S.T	FOS 33 TRIPLE SOLO RGBA • INDOOR IP20 • Power supply AC 90-260V x 3 Units • Black finishing	38 167,-
<b>FOS 33 TRIPLE SOLO WHITE</b>		
03.LB008S.W	FOS 33 TRIPLE SOLO WHITE • OUTDOOR IP65 • Power supply AC 90-260V x 3 Units • Black finishing	38 772,-
03.LB006S.W	FOS 33 TRIPLE SOLO WHITE • INDOOR IP20 • Power supply AC 90-260V x 3 Units • Black finishing	38 772,-
<b>OPTIKA PRO FOS - DYNAMIC</b>		
03.LK.055.N	Kit Lenses FOS DYNAMIC • Spot (10°) • To buy 3 kits for 1 Fos 100 Set • Black	1 121,-
03.LK.056.N	Kit Lenses FOS DYNAMIC • Medium Flood (25°) • To buy 3 kits for 1 Fos 100 Set • Black	1 121,-
03.LK.057.N	Kit Lenses FOS DYNAMIC • Wide Flood (40°) • To buy 3 kits for 1 Fos 100 Set • Black	1 121,-
03.LK.055	Kit Lenses FOS DYNAMIC • Spot (10°) • To buy 3 kits for 1 Fos 100 Set • Grey	1 121,-
03.LK.056	Kit Lenses FOS DYNAMIC • Medium Flood (25°) • To buy 3 kits for 1 Fos 100 Set • Grey	1 121,-
03.LK.057	Kit Lenses FOS DYNAMIC • Wide Flood (40°) • To buy 3 kits for 1 Fos 100 Set • Grey	1 121,-
<b>OPTIKA PRO FOS - FULL COLOUR</b>		
03.LK.029.N	Kit Lenses FOS FULL COLOUR • Spot (10°) • To buy 3 kits for 1 Fos 100 Set • To buy 1 kit for 1 Fos 33 Set • Black	1 121,-
03.LK.030.N	Kit Lenses FOS FULL COLOUR • Medium Flood (25°) • To buy 3 kits for 1 Fos 100 Set • To buy 1 kit for 1 Fos 33 Set • Black	1 121,-
03.LK.031.N	Kit Lenses FOS FULL COLOUR • Wide Flood (40°) • To buy 3 kits for 1 Fos 100 Set • To buy 1 kit for 1 Fos 33 Set • Black	1 121,-

označení produktu	popis produktu	doporučená MO cena s DPH
03.LK.029	Kit Lenses FOS FULL COLOUR • Spot (10°) • To buy 3 kits for 1 Fos 100 Set • To buy 1 kit for 1 Fos 33 Set • Grey	1 121,-
03.LK.030	Kit Lenses FOS FULL COLOUR • Medium Flood (25°) • To buy 3 kits for 1 Fos 100 Set • To buy 1 kit for 1 Fos 33 Set • Grey	1 121,-
03.LK.031	Kit Lenses FOS FULL COLOUR • Very Wide Flood (xx) • To buy 3 kits for 1 Fos 100 Set • To buy 1 kit for 1 Fos 33 Set • Grey	1 121,-
<b>OPTIKA PRO FOS - RGBA / WHITE</b>		
03.LK.032.N	03.LK.032.N	1 575,-
03.LK.033.N	03.LK.033.N	1 575,-
03.LK.034.N	03.LK.034.N	1 575,-
03.LK.032	03.LK.032	1 575,-
03.LK.033	03.LK.033	1 575,-
03.LK.034	03.LK.034	1 575,-
<b>FLIGHTCASE PRO FOS</b>		
0521C039	FLIGHTCASE for 4 pcs of FOS 100 SOLO or FOS 100 - STANDARD	5 452,-
0521C039.1	FLIGHTCASE for 4 pcs of FOS 100 SOLO or FOS 100 - PROFESSIONAL	13 328,-
<b>REDUKCE</b>		
03.LA.061	RJ45 MALE to M12 FEMALE • 8-Pole Cable Length 45 cm for connecting FOS 100 and	297,-
03.LA.037	Y-CABLE M12 OUTDOOR IP65 • 1-In - Out M12 • For 3 pcs FOS 33 END Range	757,-
<b>KONEKTORY</b>		
0520P050	8-Pole M12 Female • IP65 Cable connector	424,-
0520P051	8-Pole M12 Male • IP65 Cable connector	424,-
0508A054	8-Pole RJ45 Male Connector	16,-
<b>KABELY</b>		
0509C062	8-POLE CABLE OUTDOOR Black • 4x2xAWG24 • For RJ and M12 Connectors • Price per Meter	30,-
0509C054	8-POLE CABLE INDOOR and LONG DISTANCE USE black • UTP TIA/EIA5 68-A • Price per Meter	16,-
0509C039	DMX CABLE • 2x0,25 sqmm (AWG24) Black • Price per Meter • (Minimum Order 100 mt) • For Z10, Z8, Z4, Z1 PSU Range	41,-
<b>DRŽÁKY PRO FOS 100</b>		
03.LA.026	STANDARD BRACKET FOS 100 • Supplied along with FOS 100 (x 2) • 2 pcs needed for each FOS 100 • (Price for 1 pcs) • Bl	772,-
03.LA.021	TRIPLE BRACKET 100 Black finishing • Accessory for having 3 Fos100 on 3 raws for wallwashing uniformly. • (1 complete se	1 515,-
03.LA.021.26	TRIPLE BRACKET 100 Grey Finishing • Accessory for having 3 Fos100 on 3 raws for wallwashing uniformly. • (1 complete se	1 515,-
<b>DRŽÁKY PRO FOS 33</b>		
03.LA.022	TRIPLE BRACKET 33 Black finishing • Accessory for having 3 Fos 33 on 3 raws for wallwashing uniformly.	1 515,-
03.LA.022.26	TRIPLE BRACKET 33 Grey Finishing • Accessory for having 3 Fos 33 on 3 raws for wallwashing uniformly.	1 515,-
<b>KLEMY PRO FOS 33 / FOS 100</b>		
03.LA.025	FAST-LOCK BRACKET KIT CLAMP • Fast lock kit to attach to FOS • Without fast-lock clamp • 2 pcs needed for FOS 100 • 1 p	1 181,-
03.LA.025.26	FAST-LOCK BRACKET KIT CLAMP • Fast lock kit to attach to FOS • Without fast-lock clamp • 2 pcs needed for FOS 100 • 1 p	1 181,-
03.LA.023	SHORT-BRACKET • Simple short bracket for wall or floor fixed installation. • FOS 100 (x 2) and FOS 33 (x 1) • (Price for 1 pcs)	591,-
03.LA.027	SHORT-BRACKET • Simple short bracket for wall or floor fixed installation. • FOS 100 (x 2) and FOS 33 (x 1) • (Price for 1 pcs)	591,-
03.LA.024	FIT JOINT - Accessory for joining FOS inline together; useful to keep a long straight line.	273,-
03.LA.024.26	FOS-TERMINATOR FOS 33 • to be used on the last bar in the raw, for closing the power/signal; if not FOS 33 END used.	485,-
<b>IR CONTROL</b>		
03.LA.016	IR Receiver Card+Cable for Z1 / Z8 / Z10 Range	969,-
0514L008	IR Remote Control for DELTA / Z1 / Z8 / Z60 / Z30 Power Supply Unit	1 393,-
03.LA.023	SHORT-BRACKET • Simple short bracket for wall or floor fixed installation. • FOS 100 (x 2) and FOS 33 (x 1) • (Price for 1 pcs)	591,-
03.LA.027	SHORT-BRACKET • Simple short bracket for wall or floor fixed installation. • FOS 100 (x 2) and FOS 33 (x 1) • (Price for 1 pcs)	591,-
03.LA.024	FIT JOINT - Accessory for joining FOS inline together; useful to keep a long straight line.	273,-
03.LA.024.26	FOS-TERMINATOR FOS 33 • to be used on the last bar in the raw, for closing the power/signal; if not FOS 33 END used.	485,-
<b>TITAN SERIES - LED PROJECTORS</b>		
<b>TITAN SOLO FULL COLOUR INDOOR</b>		
03.LDB030S.F10	TITAN SOLO FULL COLOR • SPOT • INDOOR IP20 • Power supply AC 90-260V • Grey Glitter	31 200,-
03.LDB030S.F25	TITAN SOLO FULL COLOR • MEDIUM FLOOD • INDOOR IP20 • Power supply AC 90-260V • Grey Glitter	31 200,-
03.LDB030S.F40	TITAN SOLO FULL COLOR • WIDE FLOOD • INDOOR IP20 • Power supply AC 90-260V • Grey Glitter	31 200,-
03.LDB030S.FVO	TITAN SOLO FULL COLOR • SANDED GLASS • INDOOR IP20 • Power supply AC 90-260V • Grey Glitter	31 200,-
<b>TITAN SOLO FULL COLOUR OUTDOOR</b>		
03.LDB036C.F10	TITAN SOLO C FULL COLOUR • SPOT • OUTDOOR IP65 • Power supply AC 90-260V • Grey Glitter	31 805,-
03.LDB036C.F25	TITAN SOLO C FULL COLOUR • MEDIUM FLOOD • OUTDOOR IP65 • Power supply AC 90-260V • Grey Glitter	31 805,-
03.LDB036C.F40	TITAN SOLO C FULL COLOUR • WIDE FLOOD • OUTDOOR IP65 • Power supply AC 90-260V • Grey Glitter	31 805,-
03.LDB036C.FVO	TITAN SOLO C FULL COLOR • SANDED GLASS • OUTDOOR IP65 • Power supply AC 90-260V • Black	31 200,-
<b>TITAN SOLO RGBA INDOOR</b>		
03.LDB030S.T10	TITAN SOLO RGBA • SPOT • INDOOR IP20 • Power supply AC 90-260V • Grey Glitter	35 743,-
03.LDB030S.T25	TITAN SOLO RGBA • MEDIUM FLOOD • INDOOR IP20 • Power supply AC 90-260V • Grey Glitter	35 743,-
03.LDB030S.T40	TITAN SOLO RGBA • WIDE FLOOD • INDOOR IP20 • Power supply AC 90-260V • Grey Glitter	35 743,-
<b>TITAN SOLO RGBA OUTDOOR</b>		
03.LDB036C.T10	TITAN SOLO C RGBA • SPOT • IP65 • Power supply AC 90-260V • Grey Glitter	36 955,-
03.LDB036C.T25	TITAN SOLO C RGBA • MEDIUM FLOOD • IP65 • Power supply AC 90-260V • Grey Glitter	36 955,-
03.LDB036C.T40	TITAN SOLO C RGBA • WIDE FLOOD • IP65 • Power supply AC 90-260V • Grey Glitter	36 955,-
<b>TITAN SOLO WHITE INDOOR</b>		
03.LDB030S.W10	TITAN SOLO WHITE • SPOT • INDOOR IP20 • Power supply AC 90-260V • Grey Glitter	36 349,-

označení produktu	popis produktu	doporučená MO cena s DPH
03.LDB030S.W25	TITAN SOLO WHITE • MEDIUM FLOOD • INDOOR IP20 • Power supply AC 90-260V • Grey Glitter	36 349,-
03.LDB030S.W40	TITAN SOLO WHITE • WIDE FLOOD • INDOOR IP20 • Power supply AC 90-260V • Grey Glitter	36 349,-
<b>TITAN SOLO WHITE OUTDOOR</b>		
03.LDB036C.W10	TITAN SOLO C WHITE • SPOT • IP65 • Power supply AC 90-260V • Grey Glitter	37 561,-
03.LDB036C.W25	TITAN SOLO C WHITE • MEDIUM FLOOD • IP65 • Power supply AC 90-260V • Grey Glitter	37 561,-
03.LDB036C.W40	TITAN SOLO C WHITE • WIDE FLOOD • IP65 • Power supply AC 90-260V • Grey Glitter	37 561,-
<b>TITAN FULL COLOUR</b>		
03.LDB036.F10	TITAN FULL COLOR • SPOT • OUTDOOR IP65 • Without Power Supply • Grey Glitter	16 357,-
03.LDB036.F25	TITAN FULL COLOR • MEDIUM FLOOD • OUTDOOR IP65 • Without Power Supply • Grey Glitter	16 357,-
03.LDB036.F40	TITAN FULL COLOR • WIDE FLOOD • OUTDOOR IP65 • Without Power Supply • Grey Glitter	16 357,-
03.LDB036.FVO	TITAN FULL COLOR • SANDED GLASS • OUTDOOR IP65 • Power supply AC 90-260V • Black	16 357,-
<b>TITAN RGBA</b>		
03.LDB036.T10	TITAN RGBA • SPOT • OUTDOOR IP65 • Without Power Supply • Grey Glitter	22 415,-
03.LDB036.T25	TITAN RGBA • MEDIUM FLOOD • OUTDOOR IP65 • Without Power Supply • Grey Glitter	22 415,-
03.LDB036.T40	TITAN RGBA • WIDE FLOOD • OUTDOOR IP65 • Without Power Supply • Grey Glitter	22 415,-
<b>TITAN WHITE</b>		
03.LDB036.W10	TITAN WHITE • SPOT • OUTDOOR IP65 • Without Power Supply • Grey Glitter	22 718,-
03.LDB036.W25	TITAN WHITE • MEDIUM FLOOD • OUTDOOR IP65 • Without Power Supply • Grey Glitter	22 718,-
03.LDB036.W40	TITAN WHITE • WIDE FLOOD • OUTDOOR IP65 • Without Power Supply • Grey Glitter	22 718,-
<b>Z8 - NAPÁJECÍ ZDROJE PRO TITAN SERIES</b>		
03.LA.074.V2	Z8 INDOOR IP20 Rack • 8 Outputs • RJ45 • 32 Independent channels • RJ45 • Power supply AC 90-260V • Max Out Voltage 48	36 349,-
03.LA.075.V2	Z8 INDOOR IP20 Rack • 8 Outputs • M12 • 32 Independent channels • M12 • Power supply AC 90-260V • Max Output Voltage 4	39 681,-
03.LA.080.V2	Z8 INDOOR IP20 Rack • 8 Outputs • Plug-in • 32 Independent channels • Screw • Power supply AC 90-260V • Max Out Volt. 48	40 590,-
<b>Z1 - NAPÁJECÍ ZDROJE PRO TITAN SERIES</b>		
03.LA.009	Z1 INDOOR IP20 Rack • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • RJ45	11 511,-
03.LA.009.IP65	Z1 OUTDOOR IP65 Rack • 1 Output • Power supply AC 90-260V • Max Output Voltage 60V DC • M12 • Harting	14 237,-
<b>Z-LIGHT 4 NAPÁJECÍ ZDROJE PRO TITAN SERIES</b>		
03.LA.081	Z-LIGHT 4-350 ON-OFF IP20 • 4 Switchers • Power supply AC 120-240V • Max Output Voltage 50V DC • RJ45	9 996,-
03.LA.055	Z-LIGHT 4-350 ON-OFF IP65 • 4 ON-OFF • Power supply AC 120-240V • Max Output Voltage 50V DC • M12 • Harting	10 602,-
<b>OPTIKA PRO TITAN SERIES - FULL COLOUR</b>		
03.LK.035	Kit Lenses TITAN FULL COLOUR • Spot (10° Approx.)	3 090,-
03.LK.036	Kit Lenses TITAN FULL COLOUR • Medium Flood (22° Ap prox.)	2 544,-
03.LK.037	Kit Lenses TITAN FULL COLOUR • Wide Flood (35° Appr ox.)	2 544,-
<b>OPTIKA PRO TITAN SERIES - RGBA / WHITE</b>		
03.LK.038	Kit Lenses TITAN RGBA/WHITE • Spot (8° Approx.)	3 756,-
03.LK.039	Kit Lenses TITAN RGBA/WHITE • Medium Flood (22° App rox.)	3 756,-
03.LK.040	Kit Lenses TITAN RGBA/WHITE • Wide Flood (36° Appro x.)	3 756,-
<b>KLAPKY PRO TITAN SERIES</b>		
03.LA.056	Barndoor + accessories for TITAN • Grey Glitter finishing	1 515,-
03.LA.056.26	Barndoor + accessories for TITAN • Grey finishing	1 515,-
<b>PRODLUŽOVACÍ KABELY</b>		
03.LA.041	Outdoor and waterproof IP65 extension Cable with M12 M/F connectors • Lenght 1,5 mts.	618,-
03.LA.030	Outdoor and waterproof IP65 extension Cable with M12 M/F connectors • Lenght 5 mts.	769,-
03.LA.031	Outdoor and waterproof IP65 extension Cable with M12 M/F connectors • Lenght 10 mts.	1 145,-
03.LA.032	Outdoor and waterproof IP65 extension Cable with M12 M/F connectors • Lenght 15 mts.	1 666,-
03.LA.033	Outdoor and waterproof IP65 extension Cable with M12 M/F connectors • Lenght 20 mts.	2 017,-
03.LA.034	Outdoor and waterproof IP65 extension Cable with M12 M/F connectors • Lenght 30 mts.	2 557,-
<b>REDUKCE</b>		
03.LA.061	RJ45 MALE to M12 FEMALE • 8-Pole Cable Lenght 45 cm for connecting FOS 100 and	297,-
<b>KONEKTORY</b>		
0520P050	8-Pole M12 Female • IP65 Cable connector	424,-
0520P051	8-Pole M12 Male • IP65 Cable connector	424,-
0508A054	8-Pole RJ45 Male Connector	16,-
<b>KABELY</b>		
0509C062	8-POLE CABLE OUTDOOR Black • 4x2xAWG24 • For RJ and M12 Connectors • Price per Meter	30,-
0509C054	8-POLE CABLE INDOOR and LONG DISTANCE USE black • UTP TIA/EIA5 68-A • Price per Meter	16,-
0509C039	DMX CABLE • 2x0,25 sqmm (AWG24) Black • Price per Meter • (Minimum Order 100 mt) • For Z10, Z8, Z4, Z1 PSU Range	41,-
<b>KLEMY</b>		
0521A012	"C" Clamp G50 black • (max. load 10Kg)	218,-
0521A012.20	"C" Clamp G50 chrome • (max. load 10Kg)	218,-
0521A012	"C" Clamp G50 black • (max. load 10Kg)	218,-
0521A012.20	"C" Clamp G50 chrome • (max. load 10Kg)	218,-